RESEARCH NOTE Open Access

Check for updates

Core clock regulators in dexamethasone-treated HEK 293T cells at 4 h intervals

Rafailia A. A. Beta, Zoi V. Arsenopoulou, Amalia Kanoura, Dimitrios Dalkidis, Rafaela Avraamidou and Nikolaos A. A. Balatsos*

Abstract

Objective: The study of the circadian clock and its mechanisms is easily facilitated through clock resetting in cell culture. Among the various established synchronizers of the circadian clock in cell culture (temperature, serum shock, glucocorticoids), the artificial glucocorticoid Dexamethasone (DEX) is the most widely used. DEX treatment as a protocol to reset the circadian clock in culture gives simple readout with minimal laboratory requirements. Even though there are many studies regarding clock resetting in culture using DEX, reference points or expression patterns of core clock genes and their protein products are scarce and sometimes contradict other works with similar methodology. We synchronise a cell line of human origin with DEX to be used for studies on circadian rhythms.

Results: We treat HEK 293T cells with DEX and describe the patterns of mRNA and proteins of core clock regulators, while making a clear point on how *CLOCK* is less than an ideal molecule to help monitor rhythms in this cell line.

Keywords: Circadian rhythms, Cell clock resetting, Core clock regulators

Introduction

Circadian rhythms synchronise physiology, metabolism and behavior of almost all living organisms. In mammals, the rhythms are regulated by circadian clocks; the master clock or central oscillator is located in the suprachiasmatic nucleus (SCN) of the brain, while molecular mechanisms of the clock reside in all tissues of the body [1]. The circadian clocks are biochemical oscillators that incorporate input signals (zeitgebers or synchronizers) and produce output signals through interlocked transcription/translation feedback loops with a period of around 24 h [2–4]. In the core of these loops reside circadian transcription factors, which drive the initiation of rhythmic transcription of target genes or circadian controlled genes [5], while the periodic degradation of

the transcripts and the proteins shape overall rhythmicity. These core transcription factors are negatively regulated by some of the protein products of target genes whose transcription they regulate and vice versa. The main transcription factor complexes in mammals are that of CLOCK:BMAL1 and PER:CRY. More specifically, the two core clock regulators CLOCK and BMAL1 form a pioneer heterodimeric transcription factor that promote rhythmic chromatin remodelling and activate the expression of their transcriptional repressors including PER1, PER2, CRY1 and CRY2, as well as to the transcription initiation of multiple clock controlled genes [5]. After translation and the assembly of the PER:CRY complex, they lead to inhibition of the CLOCK:BMAL1 complex and transcriptional repression of their targets while activating CLOCK and BMAL1 transcription contributing to the continuity of the process. Apart from these 2 main complexes, multiple proteins have been associated with the

*Correspondence: balatsos@bio.uth.gr Department of Biochemistry and Biotechnology, University of Thessaly, Larissa, Greece



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Beta et al. BMC Research Notes (2022) 15:23 Page 2 of 5

central oscillator and exhibit circadian expression and contribute to the regulation of circadian rhythms [4, 6].

Expression of clock genes has been studied in primary cultures as well as in immortalized cell cultures [7, 8] and resetting the clock in culture by glucocorticoids was described over 20 years ago [9]. Many cell types have been used in studies where the clock has been reset in culture from immortalized cells of human or mouse origin to cancer cells [8]. However, studies where the clock has been reset in culture have sometimes contradicting results regarding the expression patterns of core clock regulators [7, 10-12]. HEK293T cell line derives from human kidney, an organ that maintain internal circadian clock, which is central to renal metabolic and homeostatic processes and is involved in drug disposition [13, 14]. Further, HEK 293T cells are highly transfectable and widely used in recombinant protein production [15]. Several synchronizers of the circadian clock in cultured cells have been used, as temperature, serum shock and glucocorticoids [9, 16, 17]. Among them, the artificial glucocorticoid Dexamethasone (DEX) is perhaps the most widely used. Nevertheless, a study to describe circadian synchronization in HEK293T cells with DEX is still pending.

In this work, we synchronize HEK293T cells with DEX harvested at 4-h intervals over 24 h and analyse mRNA and protein levels of core clock regulators *CLOCK*, *PER2* and *BMAL1* providing pilot results of the pattern of these factors over the time course of the experiment. The results described in this work serve as a reference for future studies that depend on clock resetting in HEK 293T cells, highlighting the validity and applicability of clock resetting in culture with DEX and RT-qPCR of endogenous targets and hopefully it will serve as a reference point for researchers that wish to perform experiments with similar design or in the same cell line.

Main text

Materials and methods

Cell culture

HEK 293T cells were from ATCC (CRL-3216). All cell culture reagents were purchased from Biosera (Nuaillé, France). HEK 293T cells were cultured in DMEM with 10% fetal bovine serum (FBS), $1 \times$ antibiotic/antimycotic. The cells were cultured at 37 °C, with 5% CO $_2$ and were frequently checked for mycoplasma infection by PCR.

Clock resetting in culture

Cells were plated in 6 cm culture dishes or 6-well plates and the culture medium was supplemented with 100 nM DEX in PBS (DEX, SIGMA-ALDRICH, MO, USA) for 2 h [18]. The cells were harvested 24 h after DEX treatment at 4-h intervals for 24 h in total. Control conditions

were also included; the same number of plates and dishes was plated and treated with 0.004% DMSO in PBS (solvent control) in complete DMEM for 2 h.

RT-qPCR and data analysis

Total RNA from HEK 293T cells was isolated using TRIreagent (SIGMA-ALDRICH, MO, USA) and quantified using NanoDrop 2000c (Thermo Fisher Scientific, MA, USA). For the detection of specific mRNAs, 1 µg of total RNA was used for cDNA synthesis with PrimeScript 1st strand cDNA synthesis kit (TaKaRa Bio, CA, USA). Realtime quantitative PCR was performed with SYBR Select MasterMix (Invitrogen, Thermo Fisher Scientific, MA, USA) in a StepOnePlus Real-Time PCR System (Applied Biosystems, Thermo Fisher Scientific, MA, USA). Each sample was assayed in duplicate. GAPDH was used as a reference gene. The primers used for the RT-qPCR analysis are listed in Table 1. Data were fitted using sine wave function of GraphPad Prism version 8 (GraphPad Software, San Diego, CA, USA; www.graphpad.com), as has been described [19]. More specifically, Ct values are normalized for expression to GAPDH for both biological replicates. Then, data are imported to GraphPad prism and fitted using the sine wave function. The goodness of fit is assessed by the Shapiro-Wilk normality test and the curves are subsequently subjected to Two-Way ANOVA. The normality test assesses how far from normal (Gaussian) the data are; a data set with $p \le 0.05$ fails the normality test, thus deviates significantly from a normal distribution. Accordingly, a statistically significant data set means that it has failed the normality test [19]. Thus, the data presented in this work, are considered for Two-Way ANOVA if they fail the normality test.

Western Blot

The cells were lysed in IP150 buffer supplemented with 1 mM DTT, 2 mM EDTA and 1 \times Set X protease inhibitor cocktail (539196, Sigma Aldrich) as has been previously described [20], sonicated and clarified by centrifugation. Proteins were resolved by SDS-PAGE and transferred onto 0.2 μ m PVDF membrane (Porablot; Macherey–Nagel, Germany), membranes were blocked and probed using the following antibodies: BMAL1 (#14020, 1:1000, Cell Signaling Technology), CLOCK (#5157, 1:500, Cell

Table 1 List of primers used for RT-qPCR

GAPDH	FWD	AGAAGGCTGGGGCTCATTTG
	REV	AGGGCCATCCACAGTCTTC
CLOCK	FWD	GGCTGAAAGACGACGAGAAC
	REV	GGTGTTGAGGAAGGGTCTGA
PER2	FWD	CTGATTGAAACCCCAGTGCT
	REV	ATGGGTTGATGAAGCTGGAC

Beta et al. BMC Research Notes (2022) 15:23 Page 3 of 5




Fig. 1 Expression of *CLOCK* and *PER2* in DEX-treated HEK293T cells. **A** Relative *CLOCK* mRNA levels over the time course of 24 h. Fierce red: DEX-treated cells; grey: DMSO-treated cells. **B** Relative *PER2* mRNA levels over the time course of 24 h. Values (n = 2) are normalized for expression with *GAPDH* and plotted. Both replicate experiments are shown on the graphSky blue: DEX-treated cells; grey: DMSO-treated cells

Signaling Technology) and β-ACTIN (A5441, 1:5000, Sigma-Aldrich). β-ACTIN was used as a reference. Western blot images were taken using Uvitec Cambridge chemiluminescence imaging system with the help of Alliance Software (ver. 16.06) (Uvitec Cambridge, Cambridge, UK). Protein bands were normalized using ImageJ [21].

Results

While there are many reports in the literature regarding clock resetting in culture, differences between experimental design and expression patterns of genes and their cognate proteins are often confusing and lead to time delays adding cost to projects as well as adding to the already increased carbon footprint life science research entails [22]. In this work, we present a brief yet comprehensive expression pattern for major circadian regulators in clock-synchronized HEK 293T cells. It is well known that the artificial glucocorticoid DEX is a strong synchronizer for peripheral tissues and cell cultures [23]. Moreover, it has been reported that *CLOCK* is relatively unresponsive to glucocorticoid clock resetting [16]. To this end, we examined CLOCK levels after treatment of HEK293T cells with DEX or DMSO (used as DEX's solvent) over a time course of 24 h (Fig. 1A). Indeed, *CLOCK's* expression does not seem to be significantly altered in the presence of DEX; the curve fit passes the normality tests and the data were not statistically significant between treatments, thus explaining why CLOCK expression is not used in time course experiments where the clock is reset in culture in contrast to other core clock regulators such as PER, CRY, etc.. Next, we analyzed the expression levels of PER2, another major clock regulator (Fig. 1B), known to be under glucocorticoid response element control [16] with overall levels and pattern being in congruence with the literature, even though they differ in the time points of minima and maxima of expression [11, 24]. *PER2* expression is significantly different between DEX and DMSO treatments (p-value=0.0481), even though they exhibit a similar curve pattern [19].

Periodic mRNA abundance stems from rhythmic transcription, stability and degradation, or a combination of these processes that determine overall mRNA life span [4, 25]. Similarly, periodic protein abundance results from both rhythmic translation, often related to periodic mRNA abundance, and protein degradation [25]. Thus, we evaluated protein levels for the two core clock mammalian regulators CLOCK and BMAL1, that comprise a heterodimeric transcription factor. Both proteins are present throughout the time course of the experiment in both DEX-treated and DMSO-treated cells (Fig. 2A) similar to other reports [26, 27]. Plotting of the protein quantification data versus hours post DEX treatment (Fig. 2B), yields a similar pattern for both factors, which is expected considering that the two proteins are part of the same transcription factor complex.

Limitations

This work is a representation of pilot experiments for the study of the circadian clock in HEK293T cells and has limitations. For example, including different clock resetting methods, such as serum shock and temperature [28], could serve as a more complete description of the data presented here, however it was our choice to include the most commonly used method for clock resetting in culture for all cells expressing glucocorticoid receptor, except SCN cells, which is DEX. The data in this study are representative for HEK293T cells, so discrepancies

Beta et al. BMC Research Notes (2022) 15:23 Page 4 of 5




Fig. 2 Protein levels of CLOCK and BMAL1 in DEX-treated HEK293T cells. **A** Western blot showing levels of CLOCK and BMAL1. Numbers above the gels indicate time (in hours) post DEX treatment (upper set) or control (DMSO-treated; lower set). β -ACTIN was used as loading control. **B** Levels of CLOCK and BMAL1 in DEX-treated cells after normalization to β -ACTIN. Red and blue lines indicate CLOCK and BMAL1 levels in DEX treated cells, respectively. Values are means \pm SEM (n = 3). Numbers below each target indicate protein levels, relative to β -ACTIN. The images are part of the original image of the western blot development. Full-length blots/gels are presented in Additional file 1: Figure S1.

with other cell models in published works are expected and are discussed in the results section of the Main text.

Moreover, the time intervals selected to present the data in this work are preferred across many similar studies [2, 7, 23, 28]. Shorter time intervals can be studied using stable cell lines expressing core clock regulators fused with bioluminescent reporters. Thus, measurements in very short intervals (e.g. 10 min) have been reported [23], yet such approaches require specific laboratory equipment and produce big data input that is hard and time-consuming to handle. Alternatively, increasing the replicates may improve the statistical analyses, albeit less efficiently than experimenting for shorter time intervals that generally improves temporal resolution [29].

The selection of clock resetting method, choice of the time intervals for data collection and measurements should depend on the type of experiment to be conducted each time so that these experimental factors do not interfere with measurements and data are presented efficiently.

Abbreviations

SCN: Suprachiasmatic nucleus; DEX: Dexamethasone; FBS: Fetal bovine serum.

Supplementary Information

The online version contains supplementary material available at https://doi.org/10.1186/s13104-021-05871-7.

Additional file 1: Figure S1. Full size uncropped images of the western blots presented in Fig. 2. Numbers above the gels indicate time (in hours) post DEX treatment (upper set) or control (DMSO-treated; lower set). The dashed line box indicates where the image was cropped in order to be presented in Fig. 2.

Acknowledgements

The authors would like to thank Prof. Kyriacos Kyriacou and Assoc. Prof. Andreas Hadjisavvas (Department of Electron Microscopy/Molecular Pathology, The Cyprus Institute of Neurology and Genetics, Nicosia, Cyprus) for kindly providing the HEK 293T cells, as well as Assoc. Prof. Panagiotis Liakos and Dr Ioanna-Maria Gkotinakou (Faculty of Medicine, University of Thessaly) for their help with image acquisition and valuable discussions.

Authors' contributions

RAAB designed and performed the time resetting of HEK 293T cells, analysed the data, performed qPCR and western blot experiments and wrote the manuscript. ZA designed and performed the time resetting of HEK 293T cells, performed qPCR and western blot experiments and analysed the data. AK, DD and RA performed qPCR and western blot experiments. NAAB conceived and designed the study, and wrote the manuscript. All authors read and approved the final manuscript.

Funding

This work is supported by the Ministry of Development and Investments Operational Programme: "Supporting researchers with Education and Lifelong Learning" in the context of the project: "Supporting researchers focusing on young researchers-103" (MIS 5048947) (NSRF 2014–2020).

Availability of data and materials

Datasets used during the current study are available from the corresponding author upon reasonable request.

Declarations

Ethics approval and consent to participate

No human or animal samples were used in the study.

Consent for publication

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Received: 14 September 2021 Accepted: 30 November 2021 Published online: 28 January 2022

Beta et al. BMC Research Notes (2022) 15:23 Page 5 of 5

References

- Dibner C, Sage D, Unser M, Bauer C, d'Eysmond T, Naef F, et al. Circadian gene expression is resilient to large fluctuations in overall transcription rates. EMBO J. 2009;28(2):123–34.
- Robles MS, Cox J, Mann M. In-vivo quantitative proteomics reveals a key contribution of post-transcriptional mechanisms to the circadian regulation of liver metabolism. PLoS Genet. 2014;10(1):e1004047.
- Shearman LP, Sriram S, Weaver DR, Maywood ES, Chaves I, Zheng B, et al. Interacting molecular loops in the mammalian circadian clock. Science. 2000;288(5468):1013–9.
- 4. Beta RAA, Balatsos NAA. Tales around the clock: poly(A) tails in circadian gene expression. Wiley Interdiscip Rev RNA. 2018;9:e1484.
- Takahashi JS. Transcriptional architecture of the mammalian circadian clock. Nat Rev Genet. 2017;18(3):164–79.
- 6. Richards J, Gumz ML. Advances in understanding the peripheral circadian clocks. FASEB J. 2012;26(9):3602–13.
- Balsalobre A, Damiola F, Schibler U. A serum shock induces circadian gene expression in mammalian tissue culture cells. Cell. 1998;93(6):929–37.
- 8. Kaeffer B, Pardini L. Clock genes of Mammalian cells: practical implications in tissue culture. In Vitro Cell Dev Biol Anim. 2005;41(10):311–20.
- Balsalobre A, Brown SA, Marcacci L, Tronche F, Kellendonk C, Reichardt HM, et al. Resetting of circadian time in peripheral tissues by glucocorticoid signaling. Science. 2000;289(5488):2344–7.
- Lemos DR, Goodspeed L, Tonelli L, Antoch MP, Ojeda SR, Urbanski HF. Evidence for circadian regulation of activating transcription factor 5 but not tyrosine hydroxylase by the chromaffin cell clock. Endocrinology. 2007:148(12):5811–21.
- Kiessling S, Beaulieu-Laroche L, Blum ID, Landgraf D, Welsh DK, Storch KF, et al. Enhancing circadian clock function in cancer cells inhibits tumor growth. BMC Biol. 2017;15(1):13.
- Asher G, Gatfield D, Stratmann M, Reinke H, Dibner C, Kreppel F, et al. SIRT1 regulates circadian clock gene expression through PER2 deacetylation. Cell. 2008;134(2):317–28.
- 13. Firsov D, Bonny O. Circadian rhythms and the kidney. Nat Rev Nephrol. 2018;14(10):626–35.
- Nikolaeva S, Ansermet C, Centeno G, Pradervand S, Bize V, Mordasini D, et al. Nephron-specific deletion of circadian clock gene Bmal1 alters the plasma and renal metabolome and impairs drug disposition. J Am Soc Nephrol. 2016;27(10):2997–3004.
- Dumont J, Euwart D, Mei B, Estes S, Kshirsagar R. Human cell lines for biopharmaceutical manufacturing: history, status, and future perspectives. Crit Rev Biotechnol. 2016;36(6):1110–22.
- So AY, Bernal TU, Pillsbury ML, Yamamoto KR, Feldman BJ. Glucocorticoid regulation of the circadian clock modulates glucose homeostasis. Proc Natl Acad Sci U S A. 2009;106(41):17582–7.
- 17. Xie Y, Tang Q, Chen G, Xie M, Yu S, Zhao J, et al. New insights into the circadian rhythm and its related diseases. Front Physiol. 2019;10:682.
- Woo KC, Ha DC, Lee KH, Kim DY, Kim TD, Kim KT. Circadian amplitude of cryptochrome 1 is modulated by mRNA stability regulation via cytoplasmic hnRNP D oscillation. Mol Cell Biol. 2010;30(1):197–205.
- Harbour VL, Weigl Y, Robinson B, Amir S. Phase differences in expression of circadian clock genes in the central nucleus of the amygdala, dentate gyrus, and suprachiasmatic nucleus in the rat. PLoS ONE. 2014;9(7):e103309.
- Balatsos NA, Nilsson P, Mazza C, Cusack S, Virtanen A. Inhibition of mRNA deadenylation by the nuclear cap binding complex (CBC). J Biol Chem. 2006;281(7):4517–22.
- Rueden CT, Schindelin J, Hiner MC, DeZonia BE, Walter AE, Arena ET, et al. Image J2: ImageJ for the next generation of scientific image data. BMC Bioinformatics. 2017;18(1):529.
- Nathans J, Sterling P. How scientists can reduce their carbon footprint. Elife. 2016. https://doi.org/10.7554/eLife.15928.
- Izumo M, Sato TR, Straume M, Johnson CH. Quantitative analyses of circadian gene expression in mammalian cell cultures. PLoS Comput Biol. 2006;2(10):e136.
- Sakamoto W, Takenoshita S. Overexpression of both clock and Bmal1 inhibits entry to s phase in human colon cancer cells. Fukushima J Med Sci. 2015;61(2):111–24.
- Luck S, Thurley K, Thaben PF, Westermark PO. Rhythmic degradation explains and unifies circadian transcriptome and proteome data. Cell Rep. 2014;9(2):741–51.

- Doruk YU, Yarparvar D, Akyel YK, Gul S, Taskin AC, Yilmaz F, et al. A CLOCK-binding small molecule disrupts the interaction between CLOCK and BMAL1 and enhances circadian rhythm amplitude. J Biol Chem. 2020:295(11):3518–31.
- Bee L, Marini S, Pontarin G, Ferraro P, Costa R, Albrecht U, et al. Nucleotide excision repair efficiency in quiescent human fibroblasts is modulated by circadian clock. Nucleic Acids Res. 2015;43(4):2126–37.
- 28. Nagoshi E, Brown SA, Dibner C, Kornmann B, Schibler U. Circadian gene expression in cultured cells. Methods Enzymol. 2005;393:543–57.
- Hughes ME, Abruzzi KC, Allada R, Anafi R, Arpat AB, Asher G, et al. Guidelines for genome-scale analysis of biological rhythms. J Biol Rhythms. 2017;32(5):380–93.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- $\bullet\,$ thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

